

Index

| | |
|---|---|
| absorption law | 31-2, Nug24-1 |
| abs | 6-1, J-1 |
| abstract | 35-2, 37-1, Nug30-1 |
| access control modifier | 15-2, Nug-12 |
| accuracy | 47-2 |
| acos..... | 6-2 |
| ADA | S-1 |
| add | 41-1, 42-2, 42-3, 43-2, 45-1, 49-1, Nug30-1, J-3, J-4 |
| addAll..... | 41-1, 45-1 |
| addFirst | 49-1, J-3 |
| addLast | 49-1, J-3 |
| algebra, boolean | 31-1 |
| alph order | Nug-7 |
| Altair | S-3 |
| American Standard Code for Information Interchange .. | D-3 |
| Analytical Engine | S-1 |
| ancestors | W-1 |
| AND, bitwise | 27-1, Nug-11 |
| AND, Boolean | 8-1, 31-1, Nug22-1 |
| anonymous objects | 16-2 |
| anti-virus software | T-1 |
| AP correlation | Q-1 |
| append | 30-1, J-4 |
| appending to the end of a file | 25-2 |
| Apple IIe | S-4 |
| Apple Computer | S-4 |
| applyPattern | Z-1 |
| area | 7-2 |
| argument | 15-3 |
| ArithmeticException | 36-2, K-1 |
| arithmetic operators | H-1 |
| arrayCopy | 19-2, Nug-10 |
| ArrayIndexOutOfBoundsException | 18-3, K-1 |
| ArrayList | 40-15, 41-1, 41-2, 42-1, 43-3, 44-5, 52-2, 52-6, 55-2 |
| ArrayListQueue | 52-6 |
| arrays | 18-1, 19-1, 33-1, 42-1, 55-2, Nug- 13, Nug-17, Nug24-1 |
| Arrays class | 19-3, 34-2, 41-2 |
| arrays of objects | 19-1 |
| ASCII | 13-1, D-1, Nug23-1 |
| asin | 6-2 |
| asList | 41-2 |
| assembly language | V-3 |
| atan | 6-2 |
| assignment | 4-1 |
| association list | 46-1 |
| autoboxing | 21-1, 42-1, 42-3 |
| Autoexec.bat | X-3 |
| auto-unboxing | 21-2 |
| automatic initialization of arrays | 18-3 |

| | |
|---|---|
| averages | 24-6, 25-2 |
| AWACS | 55-1 |
| Babbage, Charles | S-1 |
| back of queue | 52-2 |
| backslash | 3-2, A-1 |
| backspace | A-1 |
| balanced tree | 51-6 |
| BankAccount class | 15-7 |
| base | 14-1, G-1 |
| base class | 35-2 |
| BaseClass class | 26-3 |
| base folder | I-2, I-3 |
| Bemer, Robert | D-3 |
| Big O | 38-1, 40-13, 42-3, 56-7, Nug-13, Nug27-1 |
| binary | 14-1, G-1, Nug-6, Nug-14 |
| binary expression tree | 51-10 |
| binary file | 25-2, F-1 |
| binary file editor | 14-4, U-1 |
| binary search | 19-3, 34-2, 38-3, 40-13, 50-1 -6 |
| binarySearch, Arrays class | 19-3, 50-6 |
| binary search tree | 51-1 |
| binary tree | 44-8, 51-1 |
| bin folder | I-2, X-1 |
| bits | 14-1 |
| bitwise operators | 27-1, 28-1, Nug-9 |
| block ranges (Unicode characters) | AC-2 |
| block rems | 1-2, AE-2 |
| BlueJ | 19-4, M-1, N-1, X-1 |
| boolean | 8-1, 28-2, C-1 |
| boolean algebra | 31-1 |
| boolean operators | H-1, Nug-17 |
| boolean search | 8-3 |
| booleanValue | 21-2 |
| boot sector virus | T-1 |
| boot sequence | T-2 |
| boxing | 21-1 |
| branch | W-1 |
| break | 10-1, 11-1, 12-2, Nug-8 |
| BreezySwing class | M-1 |
| browser | V-2 |
| Bubble Sort | 40-2, 40-13 |
| bug | S-3 |
| bunching of indices | 56-3 |
| byte | 14-1, C-1 |
| c++ | AF-2 |
| Calendar class | AD-2 |
| calling chain | 36-1 |
| call stack | 49-3 |
| capacity | 41-2, J-4 |
| cards | S-5 |
| casting | 5-1, 41-2, 42-1, 42-2, Nug-12, Nug23-1 |
| catch | 36-3, Nug29-1 |

| | |
|---|------------------------------|
| CD | X-2 |
| ceil | 6-1, Nug27-1, J-2 |
| Central Processing Unit | S-4 |
| chain, calling | 36-1, 49-3 |
| chaining (hashing) | 56-5 |
| chain (linked list) | 48-1 |
| change directory (cd) | X-2 |
| char | 10-2, 13-1, C-1, Nug23-1 |
| Character class | 13-2, Nug22-1 |
| charAt | 17-3, 30-3, Nug-4, J-1, J-4 |
| charValue | 21-2 |
| checked exception | 36-2 |
| child node | W-1 |
| class | 15-1 |
| class creation | N-1, O-1 |
| class loader | I-3 |
| class method | 20-2 |
| classpath variable | I-3 |
| class variable | 20-2 |
| clear | 41-1, 42-2, 42-3, 46-1, 49-1 |
| clone | 35-4, 56-7 |
| close | 23-1, 25-1 |
| clusters of data in hash tables | 56-4 |
| cmd | I-2 |
| Collections | 41-2, 44-5 |
| collisions (hashing) | 56-5 |
| color palette | 56-1 |
| command | X-3 |
| command line arguments | 19-4, Nug-16 |
| command line prompt | I-1, X-2 |
| comment | 1-1 |
| Compaq Computer | S-4 |
| Comparable | 40-13, 44-1, 50-4, 51-7 |
| Comparator | 44-3, 45-2, 46-2 |
| compare | 44-1 |
| compare objects | 44-1 |
| compareTo | 17-1, 44-1, 50-4, 51-7, J-1 |
| compareToIgnoreCase | 17-1 |
| comparison operators | H-1 |
| compatibility for matrix multiplication | AA-3 |
| compile method | AG-1 |
| compiled languages | V-3 |
| compiling | I-1, V-3, X-1, X-2 |
| complete tree | 54-1, W-1 |
| complexity analysis | 38-1 |
| compound operator | 4-1 |
| computer languages | 49-3, V-1 |
| concatenation | 3-1, 30-1, 30-2, Nug-7 |
| constant | 5-1, 20-3, Nug-10 |
| constructor | 15-1, 15-3, Nug-10 |
| contains | 17-3, 41-1, 42-3, 45-1, 49-1 |
| containsAll | 41-1 |
| containsKey | 46-1 |
| containsValue | 46-1 |

| | |
|---|--------------------|
| continue | 12-2, Nug-8 |
| control expression | 11-1, 12-1 |
| conversion between number systems | 14-1, Nug-6 |
| conversion, char to String | 13-1 |
| conversion, primitives to objects | 21-1 |
| conversion, numerics to Strings | Nug-15 |
| conversion, String to char | 13-1 |
| conversion, String to double | 22-1 |
| conversion, String to int | 22-1 |
| conversion, Wrapper objects to primitives | 21-2 |
| copyright | T-2 |
| copyValueOf | 19-2, J-1 |
| cos | 6-2 |
| cosmic superclass | 16-2, 35-4 |
| CPU | S-4 |
| create class | N-1, O-1 |
| create project | N-1, O-1 |
| CSV files | T-2 |
| currentTimeMillis | 47-2 |
| data member | 15-1 |
| date/time format | AD-1, AD_2 |
| debugging aid | X-1 |
| DecimalFormat class | 26-2, Z-1 |
| declare | 2-1, 18-1, Nug21-1 |
| decrement | 4-2, 4-3 |
| decryption project | 17-6 |
| default | 10-1 |
| default constructor | 15-4 |
| default package | I-2 |
| defer exception handling | 36-2 |
| delete | 30-3, J-4 |
| deleteCharAt | 30-3 |
| delimiter | 17-3, Nug-16 |
| Dell Computer | S-4 |
| DeMorgan's Theorem | 31-2 |
| depth of nodes | W-1 |
| dequeue | 52-1, 55-2 |
| derived class | 35-2 |
| descendants | W-1 |
| dictionary | 46-1 |
| Difference Engine | S-1 |
| directory | I-3, X-2 |
| disorganized data | 56-2 |
| distribution of indices (hash table) | 56-5 |
| divisors of a number | 47-1 |
| DOS | S-4 |
| DOS prompt | 19-4, I-4, X-1 |
| double | 2-1, C-1 |
| double quote | A-1 |
| doubleValue | 21-2 |
| doubly linked list | 49-1 |
| do-while loop | 12-1 |
| dynamic memory | 48-5 |
| edge | W-1 |

| | |
|------------------------------------|--------------------------------------|
| electronic community | 35-5, U-1 |
| email | T-1 |
| email hoax | T-1 |
| encryption project | 17-6 |
| end method | AG-1 |
| endless loop | 11-1 |
| enhanced for-loop | 19-5, Nug-16, 43-3 |
| ENIAC | S-2 |
| enqueue | 52-1, 55-2 |
| Entry | 46-2, J-3 |
| entrySet | 46-1, 46-2, J-3 |
| Environment Variable | I-4, X-2 |
| equality of objects | 16-2 |
| equals | 9-1, 16-2, 19-3, 35-4, 41-1,56-7,J-4 |
| equalsIgnoreCase | 9-1 |
| escape sequence | 3-2, A-1, Nug-8, AC-3 |
| ethics | T-2 |
| etiquette | T-2 |
| Excel, MS | T-2 |
| Exception Project | 36-11 |
| exceptions | T-2 |
| exclusive-OR, bitwise | 27-1, Nug-3, Nug-14 |
| exit | 26-6 |
| Explorer, Windows | E-1 |
| expression tree | 51-10 |
| extends | 35-1, Nug-15, AF-3 |
| factorial | 39-1 |
| factor-pairs | 47-2 |
| Fibonacci project | 39-10 |
| Fibonacci series | 39-4 |
| field width | 26-2 |
| FIFO | 49-2, 52-1, 55-1, Nug-11 |
| figure of merit (hash table) | 56-5 |
| File class | 23-1 |
| file input | 23-1 |
| FileNotFoundException | 36-4, K-1 |
| file virus | T-1 |
| FileWriter class | 25-1 |
| fill, Arrays class | 19-3, 34-2 |
| final | 5-1, 35-2, Nug-10, Nug29-1 |
| finally | 36-3, Nug29-1 |
| find | 51-5, AG-1 |
| findInLine | 17-4, J-4 |
| findWithinHorizon | 17-4, J-4 |
| flags (Formatter) | 26-2, AD-1 |
| float | C-1 |
| floating point numbers | 2-1, C-1 |
| floatValue | 21-2 |
| floor | 6-1, Nug27-1, J-2 |
| floppy disk | S-5, T-1 |
| flow chart | 26-5, 47-1 |
| flushing a file buffer | 25-2 |
| folder options | E-1 |
| for-each style | 19-5, Nug16-1 |

| | |
|---|-----------------------------------|
| for-loop | 11-1 |
| format | 26-1, Z-1 |
| format specifiers and flags | 26-2, AD-1 |
| Formatter class | 26-2, AD-1 |
| forum | 35-5, U-1 |
| front of queue | 52-2 |
| full binary tree | 54-1, W-1 |
| GarbageCollector | 19-1 |
| Gates, Bill | S-3 |
| Gateway Computer | S-4 |
| Gb | S-5 |
| generic class | AF-1 |
| generic interface | 37-5, 44-3 |
| generics | 37-5, 42-1, 46-2 |
| get | 41-1, 42-2, 42-3, 46-2, 49-1, J-2 |
| getCurrencyInstance | 26-1 |
| getFirst | 49-1, J-3 |
| getKey | J-3 |
| getLast | 49-1, J-3 |
| getNumberInstance | 26-1 |
| getPercentInstance | 26-2 |
| getValue | J-3 |
| gigabyte | 14-1, S-5, Y-1 |
| GIS (Geographical Information System) | CS1-9 |
| graphical user interface, (GUI) | S-4, X-1 |
| greedy quantifiers | AC-2 |
| grep | AC-1 |
| group | AG-1 |
| GUI | S-4, X-1 |
| gymnastics project | 26-4 |
| hacker | T-1 |
| hard disk | S-5 |
| hard-wiring | S-2 |
| hash code | 56-5, 35-4, 56-7 |
| hashing techniques | 56-4 |
| HashMap | 46-1, 56-7 |
| HashSet | 45-1, 56-7 |
| hash table | 56-2 – 56-7 |
| hasNext | 17-5, 43-2, 45-1, J-3, J-4 |
| hasNextDouble | J-4 |
| hasNextInt | J-4 |
| hasPrevious | 43-2, Nug30-1 |
| HeapPriorityQueue | 55-3 |
| HeapSort | 55-6 |
| heap tree | W-1, 54-1, 54-1, 55-2 |
| height of tree | W-1 |
| Hello World | 1-1 |
| Hewlett-Packard | 49-3 |
| hex | 14-1, D-1, Nug-6, Nug-14 |
| hoax | T-1 |
| Hopper, Grace | S-3 |
| horizon | 17-4 |
| html | D-1, X-1, AE-1, AE-3 |
| IBM cards | S-5 |

| | |
|--|-------------------------------------|
| IDE | I-4, N-1, O-1, X-1 |
| identity theft | T-2 |
| if statement | 9-1 |
| IllegalArgumentException | K-1 |
| illegal name | 2-2 |
| IllegalStateException | K-1 |
| image | 56-1 |
| implements | 37-1, Nug-3, Nug-15 |
| implementation perspective of interfaces | 37-1, Nug-6 |
| importing | 7-1, 19-3, 20-4, I-1 |
| include | V-2 |
| increment | 4-2, 4-3, 41-2 |
| indexOf | 17-1, 41-1, 42-3, 49-1, Nug-17, J-1 |
| infinite loop | 11-1 |
| infix form | 49-4, 51-10 |
| inheritance | 16-2, 35-1 |
| initialization block | Nug20-1 |
| initialize | 2-1, 18-1, 18-3, Nug21-1 |
| initializing expression | 11-1, 12-1 |
| initializing object arrays | 19-1, Nug-13 |
| initializing state variables | 16-3 |
| initializing variables | 16-4 |
| inner class | 46-2, 53-1 |
| inner interface | 46-1 |
| inner loop | 11-3 |
| in-order traversal | 51-8, 51-10 |
| input from file | 23-1 |
| input from keyboard | 7-1, M-1 |
| Input/Output | S-4 |
| InputStreamReader | M-2 |
| insert | 30-4 |
| insertion sort | 40-6, 40-13 |
| installing packages | M-1 |
| instantiate | 15-1, 16-2 |
| interfaces | 37-1 |
| intersection of Sets | 45-1 |
| instance fields | 15-1 |
| instanceof | 35-4, 37-3 |
| int | 2-1, C-1 |
| interface | 41-1 |
| interior node | 51-10, W-1 |
| Internet | 14-4, T-1, U-1 |
| Internet worm | T-1 |
| interpreted languages | V-3 |
| interrupt | 55-1 |
| intersection of sets | 45-3 |
| intValue | 21-2, J-1 |
| I/O | S-4 |
| IOException | 23-2, 36-3,4, M-2 |
| isDigit | 13-2, Nug22-1 |
| isEmpty | 41-1, 42-2, 45-1, 46-2, 49-1 55-2 |
| isLetter | 13-2, Nug22-1, J-2 |
| isLetterOrDigit | 13-2, Nug22-1, J-2 |
| isLowerCase | 13-2, Nug22-1, J-2 |

| | |
|--------------------------------|---|
| isUpperCase | 13-2, Nug22-1, J-2 |
| isWhitespace | 13-2, Nug22-1, J-2 |
| iterator | 41-1, 42-1, 43-1, 45-1, Nug29-1 |
| jar files | I-3, I-5 |
| java.exe | X-1 |
| javac.exe | X-1 |
| javaDoc | 44-12, X-1, AE-1 |
| java.io | 23-1, I-1 |
| Java Script | V-2 |
| java.text | 26-1, I-1 |
| java.util | I-1 |
| Java virtual machine | I-3 |
| javaw.exe | X-1 |
| JCreator | 19-4, M-1, O-1, X-1 |
| Jobs, Steve | S-4 |
| JVM | I-3 |
| kb | S-5 |
| key | 56-1 |
| keyboard | 7-1, S-2, 17-6 |
| keyed list | 46-1 |
| key, map | 46-1 |
| key-punch | S-5 |
| keySet | 46-2, 46-12, Nug25-1 |
| key words | A-1 |
| kilobyte | 14-1, Y-1, S-5 |
| languages, computer | 49-3, V-1 |
| LAN | 46-2, T-1, U-1 |
| lastIndexOf | 17-2, 41-1, 42-3, 49-1 |
| law of absorption | 31-2, Nug24-1 |
| leaf node | 51-10, W-1 |
| legal name | 2-2 |
| length | 3-1, 18-2, 30-3, J-4 |
| level of nodes | W-1 |
| level-order traversal | 51-9 |
| license agreement | T-2 |
| LIFO | 49-2, 52-1, Nug-11 |
| linear probing | 56-5 |
| linear search | 38-3, 40-13, 50-5 |
| line break | 3-2, A-1 |
| linked list | 48-1, 49-1 |
| LinkedList Class | 41-1, 41-2, 44-5, 49-1, 52-1, 55-2, J-3 |
| List interface | 41-1, 42-1 |
| ListIterator | 41-1, 42-1, 43-1, 49-1, Nug30-1 |
| load factor (hash table) | 56-5 |
| local area network (LAN) | T-1, U-1 |
| log | 6-2, Nug-3 |
| logical size | 19-2, 42-1 |
| long | C-1 |
| longValue | 41-2 |
| lookingAt | AG-2 |
| lookup table | 56-1 |
| Lord Byron | S-1 |
| Lovelace, Ada | S-1 |
| lower bound | 50-1 |

| | |
|----------------------------------|---------------------------------|
| machine language | V-3 |
| MacIntosh | S-4 |
| macro virus | T-1 |
| MalformedURLException | K-1 |
| map | 46-1, Nug25-1 |
| Map.Entry | 46-2, J-3 |
| masking | 27-4, Nug-5 |
| Matcher class | AG-1 |
| matcher method | AG-1 |
| matches | AC-5, AG-2 |
| Math class | 6-1, Nug27-1 |
| matrix | 34-1, 34-5, AA-1 |
| max | 6-1, J-2 |
| max heap | 54-1 |
| MAX_VALUE | 22-2, C-1 |
| megabyte | 14-1, Y-1 |
| menu | 10-1 |
| Merge Sort | 19-3, 40-10, 40-13 |
| message boards | 35-5, U-1 |
| methods | 15-1 |
| microprocessor | 55-1 |
| min | 6-1, J-2 |
| miniaturization | S-4 |
| min heap | 54-1 |
| MIN_VALUE | 22-2, C-1 |
| MITS Altair | S-3 |
| mixed data types | 5-1 |
| modulus | 4-1, Nug-9, Nug-11 |
| money | 26-1, Z-1 |
| monospaced fonts | 54-9, AB-1 |
| Monte Carlo technique | 29-5 |
| most significant bit | 27-2, 28-1, G-1 |
| mouse | CS1-9, S-4 |
| msb | 27-2, 28-1, G-1 |
| MS Excel | T-2 |
| MS Word | T-2 |
| multiple declarations | 4-1 |
| multiple key sorting | 40-18 |
| music | T-2 |
| name reversal | 11-5 |
| naming conflicts | I-1 |
| naming conventions | 2-2, 5-2, 15-2, 34-1 |
| nanosecond | S-2 |
| nanoTime | 47-2 |
| negation operator | 8-1 |
| negative number | 14-4, G-1 |
| nested ifs | 9-4 |
| nested loops | 11-2 |
| nested selection operators | 32-1 |
| network communications | S-4, T-1, U-1 |
| new line character | 3-2, A-1, D-1, AD-1 |
| next | 7-1, 17-4, 43-2, 45-1, J-3, J-4 |
| nextBoolean | 29-2 |
| nextDouble | 7-1, 29-1, Nug25-1, J-4 |

| | |
|--|--------------------------|
| nextGaussian | 29-2 |
| nextInt | 43-2, Nug30-1 |
| nextLine | 7-1, 29-1, Nug25-1, J-4 |
| node | 7-2, J-4 |
| nonsensical data | 48-1, 51-1 |
| non-static initialization block | 56-2 |
| NOT, bitwise | Nug20-1 |
| NOT, Boolean | 27-1, Nug-9 |
| NotePad | 8-1 |
| null | E-2, X-1 |
| NullPointerException | Nug-8, Nug-17 |
| Number class | 19-1, K-1 |
| NumberFormat | AF-3 |
| NumberFormatException | 26-1, Nug30-1 |
| numeric variables | 22-1, 36-3, K-1 |
| object | 4-1 |
| Object (cosmic super class) | 15-1, 33-1 |
| object perspective of interfaces | 16-2, 35-4, 41-2, 50-4 |
| OCR | 37-2 |
| octal | 44-5, U-1 |
| odometer | 14-1, D-1, Nug-6, Nug-14 |
| operating system | G-2 |
| operator precedence | S-4 |
| optical character recognition | H-1 |
| optimization of a program | 44-5, U-1 |
| OR, bitwise | 47-2 |
| OR, boolean | 27-1, Nug-11 |
| order of operations | 8-1, 31-1, Nug22-1 |
| outer class | H-1 |
| outer loop | 53-1 |
| overloaded | 11-3 |
| overriding | 29-1, Nug-2 |
| overwriting | 16-2, 35-3, Nug-1 |
| package | 25-1,2 |
| Package access | I-1 |
| package installation | 16-4, Nug-12 |
| palette | M-1 |
| palletized image | 56-1 |
| parallel arrays | 56-1 |
| parameter | 18-2 |
| parent node | 5-2, 15-2 |
| parseDouble | W-1 |
| parseInt | 22-1, 24-2 |
| parsing Strings (with Scanner) | 14-3, 22-1, 24-2 |
| partition | 17-3 |
| Pascal, Blaise | 40-8 |
| passing an array | S-1 |
| passing by reference | 18-3 |
| passing by value | 33-1 |
| password | 33-1 |
| path length | 46-2, T-2 |
| path (tree) | W-1 |
| path variable | W-1 |
| | X-2, I-2 |

| | |
|---|------------------------|
| pattern | 26-2, Z-1 |
| pattern, character | AC-1 |
| Pattern class | AG-1 |
| payload | T-1 |
| peek | 55-2 |
| PEMDAS | 4-1 |
| percent | 26-2, Z-1 |
| physical size | 19-2, 42-1 |
| PI | 6-1 |
| pipeline | 48-1 |
| pixel | S-4, 56-1 |
| PKUNZIP | T-2 |
| plagiarize | T-2 |
| planets | 10-5 |
| pointer | 48-1, 49-1 |
| polymorphism | 37-4, Nug-2 |
| pop | 49-2 |
| POSIX character classes | AC-2 |
| postfix form | 49-4, 51-10 |
| post-order traversal | 51-9,10 |
| pow | 6-1, J-2 |
| precedence | 8-2, 28-3, H-1, Nug-17 |
| precision | 26-3, 47-2 |
| precomputed values | 56-2 |
| preconditions | 36-1 |
| prefix form | 51-10 |
| pre-order traversal | 51-8, 51-10 |
| preserve sign | 28-1 |
| previous | 43-2, Nug30-1 |
| previousIndex | 43-2, Nug30-1 |
| primitive data types | C-1 |
| print | 25-1 |
| printing a list, set | 41-2, 45-2 |
| println | 1-1, 25-1 |
| printf..... | 26-3 |
| print server | 55-1 |
| PrintWriter class | 25-1 |
| priority | 55-2 |
| priority queue | 54-1, 55-1 |
| PriorityQueue interface | 55-2 |
| private | 16-1, 16-4, Nug-12 |
| probing (hashing) | 56-6 |
| Project... Add 'em Up | 17-6 |
| Project... A Heap of Trouble | 54-9 |
| Project... Array of Hope | 18-7 |
| Project... A Taste of Hash | 56-6 |
| Project... BaseClass | 26-5 |
| Project... Basically Speaking | 14-5 |
| Project... Big Bucks in the Bank | 42-7 |
| Project... Big Bucks Revisited | 43-7 |
| Project... Binary Search, Reverse Order | 50-3 |
| Project... Binary Search with Objects | 50-4 |
| Project... BST <i>find</i> Method | 51-5 |
| Project... Bubble Sort | 40-3 |

| | |
|--|-------|
| Project... Calculator | 10-4 |
| Project... Cheating on Your Arithmetic Assignment | 4-5 |
| Project... Code Talker | 46-9 |
| Project... Compute This | 6-4 |
| Project... Concatenations Gone Wild | 30-2 |
| Project... Count 'em Right | 18-5 |
| Project... Divisors of a Number | 47-2 |
| Project... Don't Make Me Take That Final! | 45-4 |
| Project... Encryption/Decryption | 17-9 |
| Project... Even or Odd? | 9-4 |
| Project... Fibonacci | 39-10 |
| Project... From Me To You | 1-3 |
| Project... Full Name | 7-3 |
| Project... Gas Mileage | 16-7 |
| Project... Generate Random Doubles..... | 29-3 |
| Project... Generate Random Integers..... | 29-3 |
| Project... Get Rid of That Plus Sign! | 24-3 |
| Project... Going in Circles | 7-3 |
| Project... Gymnastics | 26-4 |
| Project... Hashing Abraham Lincoln | 56-6 |
| Project... HashSet/Intersection | 45-3 |
| Project... HashSet/Union | 45-4 |
| Project... Histogram | 46-10 |
| Project... How Far To The Line? | 20-6 |
| Project... Inner Class Inside a Method | 53-2 |
| Project... Inner Class Inside an Outer Class | 53-2 |
| Project... Insertion Sort | 40-7 |
| Project... <i>insert</i> Method for Singly Linked List | 48-4 |
| Project... Keep Trying | 36-10 |
| Project... Linear Function | 37-7 |
| Project... Mapping Bank Accounts | 46-5 |
| Project... Masking Telemetry Data | 27-4 |
| Project... Matrix Multiplication | 34-5 |
| Project... Matrix Multiplication with File Input | 34-6 |
| Project... Merge Sort | 40-13 |
| Project... Mixed Results | 5-2 |
| Project... Monte Carlo Technique | 29-6 |
| Project... Multiple Key Sorting | 40-18 |
| Project... Name That Celebrity | 3-4 |
| Project... Optimized Code for Divisors of a # | 47-3 |
| Project... Overdrawn at the Bank | 15-7 |
| Project... Pass the Gravy, Please | 33-3 |
| Project... Printing a Heap | 54-8 |
| Project... Quick Sort | 40-9 |
| Project ... Radix Integer Sort | 40-15 |
| Project ... Radix String Sort | 40-15 |
| Project... Reading Files | 23-5 |
| Project... Selection Sort | 40-4 |
| Project... Shifting Marquee | 52-6 |
| Project... Smile for the Camera | 55-5 |
| Project... Sorting a String Array | 19-11 |
| Project... Sorting BankAccount Objects Alphabetically | 44-12 |
| Project... Sorting BankAccount Objects | 44-11 |
| Project... Sorting BankAccount Objects using a | |

| | |
|--|---|
| Comparator | 44-12 |
| Project... Stack Calculator | 49-2 |
| Project... StackLL Class | 49-2 |
| Project... Student Averages | 24-5 |
| Project... Student Classification | 46-11 |
| Project... Tweaking for Speed | 28-7 |
| Project... Two Orders for the Price of One | 19-11 |
| Project... Super Optimized Code for Divisors of a # | 47-3 |
| Project... Weight on Other Planets | 10-6 |
| Project... What's My Name? | 11-5 |
| Project... What's That Diameter? | 15-4 |
| Project... Who Has Highest Priority? | 55-3 |
| Project... Who's Next? | 52-4 |
| Project... Write Student Averages | 25-2 |
| project creation | N-1, O-1 |
| protected (access control modifier) | Nug-12 |
| prototype | Nug22-1 |
| public | 15-2, 15-4, 16-4, Nug-12 |
| publishing | 14-4, U-1 |
| pull | 49-2 |
| punch cards | S-5 |
| push | 49-2 |
| put | 46-2 |
| putAll | 46-2 |
| quadratic probing | 56-5 |
| queue | 49-2, 52-1, 55-1 |
| Quick Sort | 40-8, 40-13 |
| Radio Shack | S-4 |
| radix sort | 40-13 |
| RAM | Y-1 |
| random | 6-1, 29-1, J-2 |
| random numbers | 29-1, Nug25-1 |
| read-only (enhanced for loop) | 19-5 |
| read-only-memory, ROM | S-4 |
| realizes | 37-4, Nug-3 |
| reassignment of objects | 16-2 |
| recursion | 39-1, 40-8, 40-10, 50-4, Nug26-1 |
| recycle | T-2 |
| reference | Nug-17 |
| reference, passing by | 33-1 |
| regular expression | 18-4, 3-2, J-1, AC-1 |
| reheap down | 54-4, 55-2 |
| reheap up | 55-3, 55-2 |
| rem | 1-1 |
| remainder | 4-1 |
| remarks | 1-1,1-2 |
| remove | 41-1, 42-2, 42-3, 43-2, 45-1, 46-1, 49-1, Nug30-1, J-3 |
| removeAll | 41-1, 45-1 |
| removeFirst | 49-1, J-3 |
| removing and array, object | 19-1 |
| removeLast | 41-1, 42-2, 49-1, J-3 |
| rename | Nug30-1 |
| replace | 17-3, Nug-16, J-2, J-4 |

| | |
|---|---|
| replaceAll | J-2, J-2, AC-5, AG-2 |
| replaceFirst | J-2, AC-5, AG-2 |
| reserved words | A-1 |
| restrictive, least & most for Big O | 40-13 |
| retainAll | 41-1, 45-1 |
| reversal | 11-5 |
| reverse | J-4 |
| reverse-order traversal | 51-9 |
| Reverse Polish Notation | 49-3 |
| RGB | 56-2 |
| ROM | S-4 |
| root | 51-2 |
| round | 6-1, Nug27-1, J-2 |
| round-off | 6-1, 26-1 |
| RPN | 49-3 |
| RTF files | T-2 |
| RuntimeException | K-1 |
| saving text files | E-1 |
| scanner | 44-5, U-1 |
| Scanner class | 7-1, 17-4, 23-1, J-4 |
| scientific notation | 2-1 |
| SDK | I-2 |
| selection operator | 32-1, Nug-9, H-2 |
| Selection Sort | 40-4, 40-13 |
| sequential search | 38-3, 40-13 |
| set | 41-1, 42-2, 42-3, 43-2, 49-1, Nug25-1, Nug30, J-2, J-4 |
| setCharAt | 30-3, 30-5, J-4 |
| Set interface | 45-1 |
| setMaximumFractionDigits | 26-1 |
| setMinimumFractionDigits | 26-1 |
| setSeed..... | 29-2 |
| setValue | J-3 |
| scope | 11-2 |
| shadowing | 35-2 |
| shell | 26-6 |
| shift (left and right) | 28-1, Nug-9 |
| short | C-1 |
| short circuit | 28-2, Nug-15, Nug22-1 |
| shortValue | 21-2 |
| signature | 6-1, 15-2 |
| sign bit | 27-2, 28-1, G-1 |
| sign preservation | 28-1 |
| simple String operations | 3-1 |
| simulation | 29-1 |
| Simultaneously extending and implementing | 37-4 |
| sin | 6-2 |
| single quotation mark | A-1 |
| singly linked list | 48-1 |
| size | 41-1, 42-3, 45-1, 46-2, 49-1 |
| SIZE | 22-3 |
| skip | 17-4, J-4 |
| snapshot | 55-5 |
| software specifications | 14-4, U-1 |

| | |
|---------------------------------------|------------------------------------|
| sort | 19-3, 34-2, 40-1, 44-4, 50-6, 41-2 |
| sort, Arrays class | 19-3, 24-4 |
| sorting | 40-1, 41-2 |
| source file | I-2, X-1 |
| spam email | 17-5 |
| specifiers (Formatter) | 26-2, AD-1 |
| split | 18-4, Nug28-1, J-1, AC-3 |
| spreadsheet | T-2 |
| sqrt | 6-1, J-2 |
| stack | 49-1 - 49-5 |
| stack class | 49-2 |
| start method | AG-1 |
| startsWith | 17-3 |
| state variables | 15-1, AE-3 |
| static | 20-1, Nug30-1 |
| static block | Nug20-1 |
| static imports | 20-3, 20-14 |
| static initialization block | Nug20-1 |
| static methods/variables | 19-3, 20-1 |
| step expression | 11-1, 12-1 |
| storage methods, file | F-1 |
| String | 2-1, 10-3 |
| StringBuffer class | 30-1, Nug-7, J-3, J-4 |
| String constant pool | 16-3 |
| StringIndexOutOfBoundsException | K-1 |
| student averages | 24-6, 25-2 |
| subclass | 35-1,2, AF-3 |
| subscripted variables | 18-1, 34-1 |
| substring | 3-1, 30-3, Nug-4, J-1, J-4 |
| subtree | 51-10, W-1 |
| Sun Microsystems | 47-2, X-1, AE-1 |
| super | 35-1,-3, -7, 35-12—35-15, 36-4 |
| superclass | 35-1,2 |
| swap | 40-2 |
| switch | 10-1 |
| System dialog | X-3 |
| System.out.print() | 1-2 |
| System.out.println() | 1-1 |
| switch positions | 27-4 |
| System Variable | I-4, X-3 |
| tab | A-1 |
| table | 46-1 |
| tan | 6-2 |
| TEKs correlation | R-1 |
| telemetry | 27-4 |
| template | AF-2 |
| ten's complement | G-2 |
| ternary conditional | 32-1, H-2 |
| Texas TEKS/TAKS correlation | R-1 |
| text files | 25-2, E-1, F-1 |
| text parsing | 17-4 |
| this | 35-3, 35-11, 35-12,13,14,15, 45-6 |
| throw | 36-1 |
| throws | 23-2, 36-2, M-1 |

| | |
|-------------------------------------|---|
| Time Allocation for Lessons | P-1 |
| time/date format | AD-1, AD-2 |
| timer | 47-2 |
| time zone | AD-2 |
| toArray | 41-1, 45-1, 49-1 |
| toBinaryString | 22-2 |
| toCharArray | 19-2, J-1 |
| toDegrees | 6-2 |
| toHexString | 22-1 |
| toLowerCase | 3-1, 13-3, J-2 |
| toOctalString | 22-1 |
| Tools menu | E-1 |
| toRadians | 6-2 |
| toString | 14-3, 19-3, 22-1, 30-1, 35-4, 46-3, 49-1, 49-6, 56-7, J-1, J-4 |
| toUpperCase | 3-3, 13-3, J-2 |
| tracectory tables | S-1 |
| traversing a binary tree | 51-4, 51-8,9, W-1 |
| traversing a list | 48-2 |
| tree | 44-8, 51-1 |
| TreeMap | 46-1 |
| TreeSet | 45-1 |
| trim | 17-3 |
| Trojan horse virus | T-1 |
| TRS 80 Model III | S-4 |
| truncation | 4-3 |
| truth table | 8-1, 31-1,4,5 |
| try | 36-3, Nug29-1 |
| TurtleGraphics | M-1 |
| two-dimensional arrays | 34-1, Nug24-1 |
| two's complement | G-1 |
| type parameter | 42-1, 43-3, 45-1, 46-2, AF-1 |
| type safety | 42-2, 45-1, 46-2 |
| unary operator | H-1 |
| unbalanced tree | 51-6 |
| unboxing | 21-2 |
| unchecked exception | 36-2 |
| underscore separators | 2-1 |
| undo | 49-3 |
| Unicode | 13-1 |
| Unicode groups | AC-2 |
| union of Sets | 45-1, 45-4 |
| UnknownHostException | K-1 |
| UnsupportedOperationException | K-1 |
| upper bound | 50-1 |
| useDelimiter | 17-4, J-4 |
| User Variable | I-4, X-3 |
| UTC | 47-2, AD-2 |
| value, lookup table | 56-1 |
| Value, hash table | 56-3 |
| value, map | 19-2, 46-1 |
| valueOf | 19-2, 22-2, Nug-15, J-1 |
| value, passing by | 33-1 |
| values | 46-2 |

| | |
|--|--------------------|
| variable types | 2-1 |
| Vb.net | V-2 |
| Vector | 41-1, 41-2, 44-5 |
| virus | T-1 |
| wildcard | I-1 |
| Windows 95, 98, NT, Millennium, 2000, XP | S-4 |
| Visual Basic | V-2 |
| void | 15-2 |
| von Neuman, John | S-2 |
| WAN | U-1 |
| web browser | V-2 |
| weight | 10-5 |
| while-loop | 12-1 |
| whitespace | 13-2, 18-4, AC-2 |
| wide area network (WAN) | U-1 |
| wildcard character | I-1, AF-4 |
| Windows | V-2 |
| Windows 98 | E-2, I-1, S-4 |
| Windows 2000 | X-1 |
| Windows Explorer | E-1, X-1 |
| Windows Scripting Host | T-2 |
| Windows XP | X-1 |
| Winzip | I-5 |
| word characters | 17-5 |
| Word, MS | T-2 |
| Wordpad | E-2 |
| World War II | S-1 |
| worm | T-1 |
| Wozniak, Steve | S-4 |
| wrapper classes | 21-1, Nug-14, 42-1 |
| writing to a text file | 25-1 |
| WSH | T-2 |
| XOR | 27-1, Nug23-1 |
| XP | S-4 |
| zip | T-2 |